Support Services:

11 Bruce Roderick Drive, East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

BUILDING PRODUCT INFORMATION SHEET

Product Name: Unitite R	Roofing Screw					
CLASS 1						
CLASS I						
Place of Manufacturer:	New Zealand Overseas (please tick applicable)					
Legal and Trading name	Legal and Trading name of the Manufacturer(s):					
We source our products from various to purchase please contact the team	s quality approved Overseas manufacturers. For details relating to a product batch or lot number you intend on BPIRenquiries@konnectshop.com for additional specific information.					
Legal and Trading name	e of the Importer (if applicable):					
Konnect Fastening System	ms					
Address for Service:						
STREET NAME 11 Bruce Ro	derick Drive SUBURB East Tamaki					
CITY, COUNTRY Auckland, N	New Zealand POSTCODE 2013					
Website	konnectfasteningsystems.co.nz					
Email Address	BPIRenquiries@konnectshop.com					
Phone No (if applicable)	0508 566 632					
NZBN (if applicable)	9429037435394					
Product Identifier/Drav	ving (if applicable):					
Product Description:						
and a hex drive head. accordance with the tes	ner systems have a self-drilling tip, a threaded shank, a sealing washer Heads are stamped with a 'K' followed by the durability class in sts conducted to AS/NZS 3566. Screws may be accompanied by bonded over-washers and an EPDM Neo under the head of the HWF					

Support Services:

11 Bruce Roderick Drive, East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Scope of Use					
Generally used for attaching roofing a	nd wall cladding	to primary sti	ructures,	flashings	and

scope of ose
Generally used for attaching roofing and wall cladding to primary structures, flashings and side laps to roofing sheets or to primary structure.
Limitations
Contact with corrosive and incompatible materials, prolonged exposure to damp or corrosive internal environments must be avoided.
Materials
Shank Mechanical galvanised coated steel Sealing Washer EPDM Over-washers Galvanised steel grade Z450, Aluminium or Stainless steel
Installation
Installation should be carried out by a suitably qualified practitioner in accordance with good trade practice, manufacturers recommendations and the Metal Roofing and Wall Cladding code of practice.
Maintenance
Maintenance must be carried out in accordance with the manufacturer's recommendations. Screws exhibitingred rust of the shank should be replaced before they affect the durability of the material being fastened.

Support Services:

11 Bruce Roderick Drive, East Tamaki, Auckland 2013

Ph: (09) 276 0760



Konnect is a registered trademark of Coventry Group (NZ) Ltd. NZBN 9429037435394 T/as Konnect Fastening Systems

Compliance with NZ Building Code (NZBC): In alphabetical order

Konnect Roofing Fastener Systems will contribute to compliance with the following clauses of the New Zealand Building Code.				
NZBC B1 Structure Konnect Roofing Fastener Systems structural strength complies with AS/NZS 3566 section. Pull out values have been tested in accordance with recommendations in he Metal Roofing Code of Practice.				
NZBC E2 External Moisture The sealing washers used for Konnect Fastening Systems comply with AS/NZS 3566 section.				
NZBC F2 Hazardous Building Materials Konnect Fastening Systems meet the performance requirements of F 2.3.1.				
Is the building product/building product line subject to warning or ban under section 26 of the Building Act 2004?				
Yes No 🗸				
If yes, description of the warning or ban under section 26:				
Version 1.1 Date 23 November 2023				